

**IN THE CLAIMS:**

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims are listed below for the convenience of the Examiner. No changes have been made. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

1. (previously presented) An image display device for storing a plurality of images and displaying an image based on a user's display operation, comprising:

a non-volatile storage unit storing data which can be rewritten and maintaining stored data even if a main power supply is switched off;

an image storage unit storing an image;

an image display unit displaying the image stored in the image storage unit;

an operation detection unit detecting a user's display operation to modify a display state of the image displayed on the image display unit; and

a display information writing unit writing display information for indicating a display state, including a displayed position and magnification, of a currently displayed image in the non-volatile storage unit corresponding to one of the plurality of images based on a detection result of the operation detection unit if the display information is not already stored in the non-volatile storage unit.

2. (previously presented) The image display device according to claim 1, further comprising a display information reading unit reading the display information from said non-volatile storage unit when power is switched on, and

wherein the image display unit displays the image based on the display information read by the display information reading unit.

3. (original) The image display device according to claim 2, wherein if the display information read from said non-volatile storage unit is not a prescribed value, said display information reading unit modifies the display information to a prescribed rating value.

4. (original) The image display device according to claim 2, wherein said display information writing unit stores currently displayed display image data in said non-volatile storage unit, said display reading unit reads the display image data as well as the display information if the display image data are stored in said non-volatile storage unit and said image display unit displays an original image using the read display image data.

5. (original) The image display device according to claim 1, wherein if said operation detection unit does not detect another user's display operation during a specific time period after detecting a user's display operation, said display information writing unit writes the display information in said non-volatile storage unit.

6. (canceled).

7. (original) The image display device according to claim 1, wherein said display information writing unit independently stores the display information for each stored image.

8. (original) The image display device according to claim 7, wherein when a display image is switched, said display information reading unit reads the display information corresponding to the display image.

9. (original) The image display device according to claim 1, wherein the display information includes at least one of information for specifying an original image, information about magnification of a display image and information for indicating a position in the original image of a display image.

10. (original) The image display device according to claim 1, wherein if a user switches a main power supply off, said display information writing unit writes the display information in said non-volatile storage unit.

11. (previously presented) An image display device for storing images and displaying at least one of the images based on a user's display operation, comprising:

a non-volatile storage unit storing data corresponding to the images which can be rewritten and maintaining stored data even if a main power supply is switched off; and

a display information writing unit writing display information for indicating a display state, including a displayed position and magnification, of a currently displayed image corresponding to one of the images in said non-volatile storage unit if a main power supply is switched off if the display information is not already stored in the non-volatile storage unit.

12. (previously presented) An image display device for storing images and displaying at least one of the images based on a user's display operation, comprising:

non-volatile storage means for storing data corresponding to the images which can be rewritten and maintaining stored data even if a main power supply is switched off;

image storage means for storing an image;

image display means for displaying the image stored in the image storage means;

operation detection means for detecting a user's display operation to modify a display state of the image displayed on the image display means; and

display information writing means for writing display information for indicating a display state, including a displayed position and magnification, of a currently displayed image corresponding to one of the images in the non-volatile storage means based on a detection result of the operation detection means.

13. (previously presented) An image display device for storing images and displaying at least one of the image based on a user's display operation, comprising:

non-volatile storage means for storing data corresponding to the images which can be rewritten and maintaining stored data even if a main power supply is switched off; and

display information writing means for writing display information for indicating a display state, including a displayed position and magnification, of a currently displayed image corresponding to one of the images in said non-volatile storage unit if a main power supply is switched off and if the display information is not already stored in the non-volatile storage unit.

14. (previously presented) A method for writing a display state of an image in an image display device for storing images and displaying the image based on a user's display operation in a non-volatile storage unit for maintaining stored data even if power is switched off, comprising:

- displaying a stored image;
- detecting a user's display operation to modify a display state of the stored image; and
- writing display information for indicating a display state, including a displayed position and magnification, of a currently displayed image corresponding to one of the images based on a result of the detecting if the display information is not already stored in the non-volatile storage unit.

15. (previously presented) A method for recording display states of images displayed by an image display device, comprising:

- detecting a display state of a currently displayed image stored in a non-volatile storage unit; and
- writing display state information indicating the display state, including a displayed position and magnification, of the currently displayed image corresponding to one of the images in the non-volatile storage unit if the display state information is not already stored in the non-volatile storage unit.